

according to 1907/2006/EC

Product name: FLEGFIX 04 Page 1/7

Date of issue: 25.01 2017 Revision date:

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier Trade name: FLEGFIX 04

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Adhesives 1.3 Details of the supplier of the safety data sheet

Unifleg CZ spol. s r.o.

Na Křečku 365, 109 00 Praha 10

Tel: +420 606 767 100 IČO: 28906641

Further information obtainable from:

e-mail: chromacek@unifleg.cz

1.4 Emergency telephone number:

Klinika nemocí z povolání - Toxikologické informační středisko, Na Bojišti 1, 128 08 Praha 2,

CZ. Tel: +420 224 919 293, +420 224 915 402

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## 2.1.1 Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335 **2.2 Label elements** 

## 2.2.1 Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word: Warning

## Hazard-determining components of labelling:

ethyl 2-cyanoacrylate **Hazard statements** 

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.



according to 1907/2006/EC

Product name: FLEGFIX 04 Page 2/7

Date of issue: 25.01 2017 Revision date:

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Substance name	Substance content [% hm.]	Identification number		Hazardous class and category H-phrases (EC) 1272/2008 (CLP)
ethyl 2-cyanoacrylate	50-100	CAS ES	7085-85-0 230-391-5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
1,4-dihydroxybenzene	<0,1	CAS ES	123-31-9 204-617-8	Muta. 2, H341 Carc. 2, H351 Eye Dam. 1, H318 Aquatic Acute 1, H400; Acute Tox. 4, H302 Skin Sens. 1, H317

Additional information: For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor. Call a doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5. oddíl: Opatření pro hašení požáru

## 5.1 Extinguishing media

## Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet



according to 1907/2006/EC

Product name: FLEGFIX 04 Page 3/7

Date of issue: 25.01 2017 Revision date:

#### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

5.3 Advice for firefighters

**Protective equipment:** 

Wear self-contained respiratory protective device.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

## 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

## 6.3 Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically. Ensure adequate ventilation.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

## Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

## Information about storage in one common storage facility:

Store away from oxidising agents.

## Further information about storage conditions:

Keep container tightly sealed.

## 7.3 Specific end use(s)

No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Substance	CAS	WEL
ethyl 2-cyanoacrylate	7085-85-0	Short-term value: 1.5 mg/mł, 0.3 ppm

**Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

## Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.



according to 1907/2006/EC

Product name: FLEGFIX 04 Page 4/7

Date of issue: 25.01 2017 Revision date:

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

## Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

#### Protection of hands:

Protective gloves

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of sloves:

Nitrile rubber, NBR

## Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## Not suitable are gloves made of the following materials:

Rubber gloves

**PVC** gloves

## Eye protection:

Safety glasses

Tightly sealed goggles

## **Body protection:**

Protective work clothing

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form:

Colour:
Colouress
Odour:
Characteristic
Odour threshold:
PH-value:
Not determined.
Not determined.

Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:> 150 °CFlash point:87 °C

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

**Decomposition temperature:** Not determined.

**Self-igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

**Explosion limits:** 

Lower:
Upper:
Not determined.
Vapour pressure at 20 °C:
Density at 20 °C:

Not determined.
0.27 hPa
1.05 g/cmł



according to 1907/2006/EC

Product name: FLEGFIX 04 Page 5/7

Date of issue: 25.01 2017 Revision date:

Bulk density at 20 °C:1.05 kg/młRelative density:Not determined.Vapour density:Not determined.Evaporation rate:Not determined.

Solubility in / Miscibility with water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

Solvent content:

 Organic solvents:
 0.0 %

 VOC (EC):
 0.00 %

 Solids content:
 100.0 %

9.2 Other information

No further relevant information available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

## 10.2 Chemical stability:

#### Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

## 10.3 Possibility of hazardous reactions:

Exothermic polymerisation.

Reacts with alcohols.

Reacts with alcohols, amines, aqueous acids and alkalis.

Reacts with water and acids.

Reacts with amines.

Reacts with water.

Reacts with alkali (lyes).

## 10.4 Conditions to ovoid:

No further relevant information available.

## 10.5 Incompatible materials:

No further relevant information available.

## 10.6 Hazardous decomposition products:

No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity:

Primary irritant effect:

On the skin: Irritant to skin and mucous membranes.

On the eye: Irritating effect.

Sensitisation: Sensitisation possible through skin contact.

## Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant



according to 1907/2006/EC

Product name: FLEGFIX 04 Page 6/7

Date of issue: 25.01 2017 Revision date:

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Aquatic toxicity:**

No further relevant information available.

## 12.2 Persistence and degradability

No further relevant information available.

## 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

## Additional ecological information:

#### **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.12.6 Other adverse effects

No further relevant information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## **Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### Uncleaned packaging:

#### Recommendation:

Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

14.1 UN-Number

ADR, ADN, IMDG, IATA: Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA: Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class: Void

14.4 Packing group

ADR, IMDG, IATA: Void

14.5 Environmental hazards:

Marine pollutant: No

**14.6 Special precautions for user:** Not applicable.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation":



according to 1907/2006/EC

Product name: FLEGFIX 04 Page 7/7

Date of issue: 25.01 2017 Revision date:

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

#### 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous

Goods by Road)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Muta. 2: Germ cell mutagenicity, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

The data contained in this safety data sheet are based on our current knowledge and experience and they are related to the specified product only. The user is responsible for the product correct handling under the current legislation.